

# Safety Data Sheet

Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

SDS ID: CRAY-030

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### Material Name

CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

### Synonyms

CRAYOLA MULTICULTURAL CLAY; CLING CREATOR; PRODUCT CODE(S): 04-5860; 57-0201; 57-0300; 57-0310; 57-0311; 57-0312; 57-0313; 57-1314; 57-0315; 57-0320; 57-0321; 57-0400; 57-1307; 57-1351; 57-1353; 57-2012

### Product Use

Arts and Crafts

### Restrictions on Use

None known.

### Details of the supplier of the safety data sheet

CRAYOLA LLC

1100 Church Lane

Easton, PA 18044

Phone: 1-800-272-9652

Emergency Phone #: Health Emergency - Call local POISON CONTROL

E-mail: support@crayola.com

## Section 2 - HAZARDS IDENTIFICATION

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

None needed according to classification criteria

### GHS Label Elements

#### Symbol(s)

None needed according to classification criteria

#### Signal Word

None needed according to classification criteria

#### Hazard Statement(s)

None needed according to classification criteria.

#### Precautionary Statement(s)

#### Prevention

None needed according to classification criteria.

#### Response

None needed according to classification criteria.

#### Storage

None needed according to classification criteria.

#### Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

#### Other Hazards

None known.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM	100

# Safety Data Sheet

Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

SDS ID: CRAY-030

	D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	
--	---	--

## Section 4 - FIRST AID MEASURES

### Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

### Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

### Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists: Get medical advice/attention.

### Ingestion

Call a poison control center or doctor immediately for treatment advice.

### Most Important Symptoms/Effects

#### Acute

No information on significant adverse effects.

#### Delayed

No information on significant adverse effects.

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

## Section 5 - FIRE FIGHTING MEASURES

### Extinguishing Media

#### Suitable Extinguishing Media

Water carbon dioxide, regular dry chemical, regular foam,

#### Unsuitable Extinguishing Media

None known.

### Hazardous Combustion Products

Oxides of carbon

### Advice for firefighters

Slight fire hazard.

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

### Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

## Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

None.

### Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

## Section 7 - HANDLING AND STORAGE

# Safety Data Sheet

**Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA**

**SDS ID: CRAY-030**

**Precautions for Safe Handling**

Wash thoroughly after handling. Use methods to minimize dust.

**Conditions for Safe Storage, Including any Incompatibilities**

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

**Incompatible Materials**

oxidizing materials

<b>Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION</b>
--

**Component Exposure Limits**

<b>Limestone</b>	<b>1317-65-3</b>
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
OSHA (US):	15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
Mexico:	10 mg/m3 TWA VLE-PPT
	20 mg/m3 STEL [PPT-CT ]
<b>Kaolin</b>	<b>1332-58-7</b>
ACGIH:	2 mg/m3 TWA particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
OSHA (US):	15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
Mexico:	10 mg/m3 TWA VLE-PPT
	20 mg/m3 STEL [PPT-CT ]

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Based on available information, additional ventilation is not required.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/face protection**

Eye protection not required under normal conditions.

**Skin Protection**

Protective clothing is not required under normal conditions.

**Respiratory Protection**

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**Glove Recommendations**

Protective gloves are not required under normal conditions.

# Safety Data Sheet

Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

SDS ID: CRAY-030

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	multiple various colors	<b>Physical State</b>	solid
<b>Odor</b>	pleasant odor	<b>Color</b>	multiple
<b>Odor Threshold</b>	(Slight )	<b>pH</b>	7
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	Not available
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	Not available
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not available
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	1.92
<b>Water Solubility</b>	(Insoluble )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	Not available	<b>Kinematic viscosity</b>	Not available
<b>Solubility (Other)</b>	Not available	<b>Density</b>	Not available
<b>Physical Form</b>	clay	<b>Molecular Weight</b>	Not available

## Section 10 - STABILITY AND REACTIVITY

### Reactivity

No hazard expected.

### Chemical Stability

Stable at normal temperatures and pressure.

### Possibility of Hazardous Reactions

Will not polymerize.

### Conditions to Avoid

None reported.

### Incompatible Materials

oxidizing materials

### Hazardous decomposition products

Oxides of carbon.

# Safety Data Sheet

Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

SDS ID: CRAY-030

## Thermal decomposition products

Oxides of carbon

## Section 11 - TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Inhalation

No information on significant adverse effects.

#### Skin Contact

No information on significant adverse effects.

#### Eye Contact

No information on significant adverse effects.

#### Ingestion

No information on significant adverse effects.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

##### Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)

Oral LD50 Rat >15 g/kg (no deaths occurred )

Dermal LD50 Rabbit >5000 mg/kg (no deaths occurred )

##### Paraffin waxes and Hydrocarbon waxes, microcrystalline (63231-60-7)

Oral LD50 Rat >5000 mg/kg (in arachis oil ;no deaths occurred )

Dermal LD50 Rabbit >3600 mg/kg

##### Oleic acid (112-80-1)

Oral LD50 Rat 25 g/kg

### Product Toxicity Data

#### Acute Toxicity Estimate

No data available.

#### Immediate Effects

No information on significant adverse effects.

#### Delayed Effects

No information on significant adverse effects.

#### Irritation/Corrosivity Data

None

#### Respiratory Sensitization

No information available for the product.

#### Dermal Sensitization

No information available for the product.

### Component Carcinogenicity

<b>Kaolin</b>	<b>1332-58-7</b>
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
DFG:	Category 3B (could be carcinogenic for man )

### Germ Cell Mutagenicity

No information available for the product.

### Tumorigenic Data

No data available

### Reproductive Toxicity

No information available for the product.

# Safety Data Sheet

Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

SDS ID: CRAY-030

## Specific Target Organ Toxicity - Single Exposure

No target organs identified.

## Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

## Aspiration hazard

no data available.

## Medical Conditions Aggravated by Exposure

No data available.

## Section 12 - ECOLOGICAL INFORMATION

### Ecotoxicity

No information available for the product.

### Component Analysis - Aquatic Toxicity

<b>Distillates, petroleum, hydrotreated heavy paraffinic</b>	<b>64742-54-7</b>
Fish:	LC50 96 h Oncorhynchus mykiss >5000 mg/L
Invertebrate:	EC50 48 h Daphnia magna >1000 mg/L IUCLID
<b>Oleic acid</b>	<b>112-80-1</b>
Fish:	LC50 96 h Pimephales promelas 205 mg/L [static ]

### Persistence and Degradability

No information available for the product.

### Bioaccumulative Potential

No information available for the product.

### Mobility

No information available for the product.

## Section 13 - DISPOSAL CONSIDERATIONS

### Disposal Methods

Dispose in accordance with all applicable regulations.

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

**Further information:** Not regulated as a hazardous material.

### IATA Information:

**Further information:** Not regulated as dangerous goods.

### ICAO Information:

**Further information:** Not regulated as dangerous goods.

### IMDG Information:

# Safety Data Sheet

**Material Name:** CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA

**SDS ID:** CRAY-030

**Further information:** Not regulated as dangerous goods.

**TDG Information:**

**Further information:** Not regulated as dangerous goods.

**International Bulk Chemical Code**

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

<b>Oleic acid</b>	<b>112-80-1</b>
IBC Code:	Category Y

## Section 15 - REGULATORY INFORMATION

**U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories**

No hazard categories applicable.

**U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
<b>Oleic acid</b>	<b>112-80-1</b>	No	No	No	No	Yes
<b>Limestone</b>	<b>1317-65-3</b>	No	Yes	Yes	Yes	Yes
<b>Kaolin</b>	<b>1332-58-7</b>	No	Yes	Yes	Yes	Yes

**Not listed under California Proposition 65**

**Canada Regulations**

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

<b>Oleic acid</b>	<b>112-80-1</b>
	1 %

**WHMIS Classification**

Not a Controlled Product under Canada's Workplace Hazardous Material Information System

**Component Analysis - Inventory**

**Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards. (Not available)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
----	----	----	----	----	-----------	-----------	-------------------	-------------------	----------------	----	----	----	----

# Safety Data Sheet

Material Name: **CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA**

SDS ID: **CRAY-030**

No	No	No	No	No	No	No	No	No	No	No	No	No	No
----	----	----	----	----	----	----	----	----	----	----	----	----	----

**Distillates, petroleum, hydrotreated heavy paraffinic (64742-54-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

**Paraffin waxes and Hydrocarbon waxes, microcrystalline (63231-60-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

**Oleic acid (112-80-1)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

**Limestone (1317-65-3)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	NSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

**Kaolin (1332-58-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
----	----	----	----	----	-----------	-----------	-------------------	-------------------	----------------	----	----	----	----



# Safety Data Sheet

Material Name: **CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA**

SDS ID: **CRAY-030**

Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
-----	-----	-----	-----	-----	-----	-----	-----	----	----	-----	-----	-----	-----

## U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

## Section 16 - OTHER INFORMATION

### NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Summary of Changes

Updated: 01/07/2016

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

### Other Information

#### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.

# Safety Data Sheet

**Material Name: CRAYOLA® MODELING CLAY/CRAYOLA® PLASTILINA**

**SDS ID: CRAY-030**